SUBJECT INDEX

Ablation, p. 129
Accelerated testing, p. 225
Adhesive joints, p. 14
Aluminum, p. 553
Alumina fiber, p. 1008
Angle-ply, pp. 292, 532
Anisotropic plates, p. 100
Anisotropic property degradation, p. 1084
Anti-symmetric cross-ply laminates, p. 36
APC-2, p. 1056
Approximate stress analysis, p. 925
Aramid/epoxy, p. 1164
Asbestos, p. 690
Bearing stress, p. 878
Biaxial loading, p. 124
Bleeder ply molding, p. 172
Bolted joints, p. 878
Bond strength, p. 157
Boron/aluminum, pp. 516, 969
Brominated graphite fibers, p. 580
Buckling, pp. 441, 1106
Carbon fiber/epoxy composite, p. 140
Carbon fibers, pp. 68, 81, 1118
Carbon/glass hybrids, p. 396
Ceramic fiber composites, p. 481
Ceramic particulate, reinforced aluminum, p. 481
CFRP laminates, p. 878
Characteristic length, p. 949
Characterization, p. 536
Clamping pressure, p. 878
Clamp-up torque, p. 878
Clearance, p. 190
Composite bolted joints, p. 878
Composite laminates, pp. 292, 949, 988
Composite materials, pp. 309, 619, 1118
Composite materials mechanics, p. 348
Composites, pp. 516, 569, 1145
Composite shear properties, p. 494
Compression molding, p. 172
Consolidation, pp. 172, 650
Conventional (cutting) specimen, p. 536
Crack, p. 610
Cross-ply, pp. 292, 532
Cross-ply laminates, pp. 36, 292
Crystallinity, p. 1056
Cure, pp. 243, 421
Cylindrical shells, p. 348
Damage, p. 309
Damping analysis, p. 348
Debonding, p. 105
Degree of cure, p. 243
Delamination, pp. 105, 569, 594, 1106
Density function, p. 140
Design, pp. 124, 362
Diffusion coefficient, p. 68
Double cantilever, p. 330
Double cantilever beam, p. 670
Dynamic behavior, p. 348
Elastic foundation, p. 1106
Elastic properties, p. 81
Electrical properties, p. 580
Elliptical opening, pp. 925, 949
Energy release rate, p. 105
Environmental effects, p. 225
Environmental properties, p. 910
Epoxy, p. 68
Experimental damping measurement, p. 553
Failure, p. 190
Failure analysis, p. 362
Failure behavior, pp. 396, 594
Failure of bolted joints, p. 878
Failure mechanism, p. 536
Fatigue, p. 481
Fatigue damage evolution law, p. 1084
Fatigue failure, alumina fiber, p. 1008
Fatigue, graphite epoxy composites, pp. 2, 362
Fiber deformation, p. 650
Fiberglass composites, p. 207
Fiberite 1976, p. 243
Fiber-matrix bond strength, pp. 157, 207
Fiber readout, p. 1145
Fiber reinforced composites, pp. 362, 610
Fibrous composite laminates, p. 631
Fillers, p. 1145
Finite element, pp. 441, 898

Finite element analysis, p. 105
First ply failure, p. 532
Folding laminate, p. 536
Fractural toughness, p. 330
Fracture, pp. 330, 670, 1118
Fracture mechanism, p. 949
Fracture toughness, p. 569
Fracture, unidirectional composites, p. 49
Free edge stress, p. 969
Free volume, p. 68
Frequency, p. 988
Friction, p. 190
Glass fiber composites, pp. 910, 1145
Graphite, p. 81
Graphite/epoxy, pp. 129, 280, 670
Graphite epoxy composites, damage, p. 2
Graphite/epoxy laminated composites, p. 708
Graphite intercalation, p. 580
Graphite/PEEK, p. 670
Graphite polyimide, p. 1164
High modulus, p. 81
Hybrid composites, p. 396
Hybridization, p. 454
Impact, p. 594
Inhomogeneity, p. 610
In situ ply shear strength, p. 708
Interlaminar stresses, pp. 292, 969
Interface bond strength, p. 157
Iosipescu shear test, pp. 494, 1164
Kevlar/epoxy, p. 129
Laminate design, p. 532
Laminated shells, pp. 348, 898
Lightning strike, p. 580
Loading rate effect, p. 569
Manufacturing, p. 650
Material damping, p. 553
Mathematical modeling, p. 373
Material properties, p. 373
Matrix cracking, pp. 49, 594
Matrix properties, p. 619
Mean value, p. 140
Mechanical properties, pp. 280, 421, 580, 1056
Mechanical testing, p. 1118
Metal matrix, p. 81
Metal matrix composites, p. 481
Microcomputer, p. 441
Micromechanics modeling & analysis, p. 1084
Microcrack orientation distribution function, p. 1084
Microcrack length distribution function, p. 1084
Mixed mode fracture, p. 105
Mode I, p. 670
Modelling, p. 207
Models, p. 1017
Modified crack closure interval, p. 105
Moire analysis, p. 631
Moisture, p. 280
Moisture diffusion, p. 68
Moisture-induced swelling, p. 36
Multi-directional laminates, p. 708
Nondestructive evaluation, p. 14
Non-linear behavior, p. 396
Nonlinear dynamics, p. 898
Notched shape sensitivity, pp. 925, 949
Notch fatigue, p. 1008
Off-axis laminate, p. 536
Off-axis tension test, p. 1164
Optimization, p. 532
Orthotropic laminates, p. 925
Orthotropic plasticity, p. 516
PEEK, p. 1056
Pin-loaded laminate, p. 631
Pin-loaded plates, p. 190
Plasticity, p. 969
Plate buckling, p. 124
Polymer composites, p. 373
Polyphenylene sulfide, p. 910
Polyurethanes, p. 1145
Pressure, p. 421
Probablistic density function, p. 1084
Processing, pp. 172, 650, 1017
Rate sensitivity, p. 670
Reinforced aluminum plates, fatigue life, p. 1008
Reinforced polymers, p. 1145
Reinforcement, p. 910
Residual stress, p. 36
Resin flow, pp. 421, 650
Shear characterization, p. 1164
Shear-lag, p. 49
Shear strain, p. 631
Shear testing, p. 494
Shells of revolution, p. 988
Short fiber composite materials, p. 1084
SiC whisker/Al composite, p. 140
Stampable sheet, p. 910

Static and dynamic, p. 988
Stiffness, p. 140
Strength prediction, p. 949
Stress concentration factor, p. 925
Stress fracture criteria, p. 925
Stress intensity factor, p. 610
Solar furnace testing, p. 129
Stiffness and strength degradation, p. 362
Strain rate effect, p. 569
Stress around holes, p. 100
Stress concentration, p. 190
Stress effect, p. 68
Stress-strain relationship, p. 536
Sublaminates, p. 1106
Symmetric and antisymmetric modes, p. 988
Symmetrically laminated plate, p. 441
Tensile strength, p. 207
Test methods, p. 494
Thermal barrier resistance, p. 508
Thermal conductivity, p. 508
Thermal cycling, p. 81
Thermal expansion, p. 81
Thermal expansion coefficient, p. 140
Thermally-induced deformation, p. 454
Thermal properties, p. 129
Thermal response, pp. 129, 373
Thermal stresses, p. 454
Thermoplastic, pp. 569, 1017, 1056
Thermoplastic composites, p. 910
Transverse cracking, p. 309
Tube design, p. 454
Unidirectional composites, pp. 49, 1164
Variable fiber aspect ratio, p. 140
Vibration, p. 441
Viscosity, p. 243
Voids, pp. 280, 421
Yielding, p. 969

AUTHOR INDEX

Adams, D. F., p. 494
Alam, N., p. 348
Andrews, B. O., p. 481
Ashby, M. F., p. 878
Asnani, N. T., p. 348
Bauer, S., p. 650
Berglund, L. A., p. 1056
Boucher, D., p. 650
Cai, Z., pp. 172, 650
Cavallaro, C., 481
Chang, F.-K., pp. 708, 809, 834
Chang, K.-Y., pp. 809, 834
Chen, J. K., p. 969
Chen, A. T., p. 441
Chen, M.-H., p. 708
Chen, R. S., p. 280
Chiang, C. R., p. 610
Chim, E. S. M., p. 1084
Choksi, G., p. 1164
Chou, T.-W., p. 396
Ciriscioli, P. R., pp. 225, 243
Cooper, D. E., p. 190
Crawley F., p. 553
Curtis, 1118
Deibler, J. E., p. 105
Doyle, J. F., pp. 2, 516, 734
Dusi, M. R., p. 243
Dvorak, G. J., p. 309
Ebert, L. J., p. 207
Fanucci, J. P., p. 129
Fariborz, S. J., p. 856
Goree, J. G., p. 49
Grover, P. D., p. 782
Gutowski, T. G., pp. 172, 650
Harlow, D. G., p. 856
Harper, B. D., pp. 36, 280
Hasselman, D. P. H., p. 508
Henderson, J. B., p. 373
Herakovich, C. T., p. 1164
Hernandez, T. D., p. 105
Hidde, J. S., p. 1164
Hofmann, H., p. 690
Hyer, M. W., pp. 190, 454
Jaworske, D. A., p. 580
Johnson, L. F., p. 508
Kassapoqlou, C., p. 292
Katouzian, M., p. 569
Kenaga, D., p. 516
Kia, H. G., p. 1145
Kingery, J., p. 650
Klang, E. C., p. 190
Knight, R. C., p. 105

Law, G. E., p. 569
Lagace, P. A., pp. 292, 1106
Laws, N., p. 309
Lee, S. S., p. 14
Lee, W. I., pp. 225, 243, 421, 1017
Leewood, A. R., p. 734
Liu, D., p. 594
Lou, A. Y., p. 910
Mall, S., p. 569
Malvern, L. E., p. 594
Marom, G., p. 68
Messick, M. J., p. 619
Modica, G., p. 690
Montoneri, E., p. 690
Morigaki, T., p. 172
Murtha, T. P., p. 910
Nadkarni, V. M., p. 782
Nairn, J. A., p. 798
Neuman, S., p. 68
Nigam, K. D. P., p. 782
Oplinger, D. W., p. 631
Park, W. J., p. 532
Pascoe, K. J., p. 878
Peters, P. W. M., p. 157
Peterson, D. G., p. 225
Pindera, M.-J., p. 1164
Pipes, R. B., p. 670
Ranzi, E., p. 690
Rizzi, S. A., p. 734
Rousseau, C. Q., p. 454
Rybicki, E. F., p. 105
Saigal, S., p. 898
Saini, D. R., p. 782
Seferis, J. C., p. 262
Serabian, S. M., p. 631
Sheinman, I., p. 988
Shih, G. C., p. 207
Smiley, A. J., p. 670
Smith, P. A., p. 878
Springer, G. S., pp. 157, 225, 243, 421, 1017, 1056
Staab, G. H., p. 280
Suemasu, H., p. 1084
Sun, C. T., pp. 2, 516, 734, 969
Surdenas, J., p. 124
Swanson, S. R., p. 619
Takahashi, K., p. 396
Takao, Y., p. 140
Talbott, M. F., p. 1056
Tan, S. C., pp. 536, 750, 925, 949
Tang, J.-M., pp. 225, 421
Taya, M., p. 140
Tian, Z., p. 619
Tsai, G. C., p. 2
Tsangarakis, N., pp. 481, 1008
Tung, T. K., pp. 100, 124
Van Schoor, M. C., p. 553
Vannucci, R. D., p. 580
Vizzini, A. J., p. 1106
Vinson, S. S., p. 105
Walrath, D. E., p. 494
Wang, S. S., p. 1084
Wang, T. K., p. 14
Weissman, S., p. 988
Wu, Y. C., p. 898
Whitworth, H. A., p. 362
Wiecek, T. E., p. 373
Williams, J. G., p. 330
Williams, J. H., Jr., p. 14
Wineman, S., p. 650
Wolff, E. G., p. 81
Wolla, J. M., p. 49
Woo, E. M., p. 262
Wu, Y. C., p. 898
Yang, T. Y., pp. 441, 898
Zinolabedini, R., p. 580

Vol. 21, pp. 1–97

CONTENTS

JANUARY 1987

2 **G. C. Tsai, J. F. Doyle and C. T. Sun**

Frequency Effects on the Fatigue Life and Damage of Graphite/Epoxy Composites

14 **James H. Williams, Jr., Samson S. Lee and Tony K. Wang**

Nondestructive Evaluation of Strength and Separation Modes in Adhesively Bonded Automotive Glass Fiber Composite Single Lap Joints

36 **B. D. Harper**

The Effects of Moisture Induced Swelling Upon the Shapes of Anti-Symmetric Cross-Ply Laminates

49 **Jeffrey M. Wolla and James G. Goree**

Experimental Evaluation of Longitudinal Splitting in Unidirectional Composites

68 **Shoshana Neumann and Gad Marom**

Prediction of Moisture Diffusion Parameters in Composite Materials Under Stress

81 **E. G. Wolff**

Stiffness-Thermal Expansion Relationships in High Modulus Carbon Fibers

Vol. 21, pp. 99–188

CONTENTS

FEBRUARY 1987

100 T. K. Tung

On Computation of Stresses Around Holes in Anisotropic Plates

105 Edmund F. Rybicki, Tony D. Hernandez, Jr., John E. Deibler, Ronald C. Knight and Steven S. Vinson

Mode I and Mixed Mode Energy Release Rate Values for Delamination of Graphite/Epoxy Test Specimens

124 T. K. Tung and J. Surdenas

Buckling of Rectangular Orthotropic Plates Under Biaxial Loading

129 Jerome Paul Fanucci

Thermal Response of Radiantly Heated Kevlar and Graphite/Epoxy Composites

140 Y. Takao and M. Taya

The Effect of Variable Fiber Aspect Ratio on the Stiffness and Thermal Expansion Coefficients of a Short Fiber Composite

157 Piet W. M. Peters and George S. Springer

Effects of Cure and Sizing on Fiber-Matrix Bond Strength

172 Timothy G. Gutowski, Tadahiko Morigaki and Zhong Cai

The Consolidation of Laminate Composites

Vol. 21, pp. 189–289

CONTENTS

MARCH 1987

190 M. W. Hyer, E. C. Klang and D. E. Cooper

The Effects of Pin Elasticity, Clearance, and Friction on the Stresses in a Pin-Loaded Orthotropic Plate

207 G. C. Shih and L. J. Ebert

Theoretical Modelling of the Effect of the Interfacial Shear Strength on the Longitudinal Tensile Strength of Unidirectional Composites

225 Peter R. Ciriscioli, Woo I. Lee, Douglas G. Peterson, George S. Springer and Jian-Mao Tang

Accelerated Environmental Testing of Composites

243 Mark R. Dusi, Woo I. Lee, Peter R. Ciriscioli and George S. Springer

Cure Kinetics and Viscosity of Fiberite 976 Resin

262 Eamor M. Woo and James C. Seferis

Thermal Sonic Analysis of Polymer Matrices and Composites

280 B. D. Harper, G. H. Staab and R. S. Chen

A Note on the Effects of Voids Upon the Hygral and Mechanical Properties of AS4/3502 Graphite/Epoxy

Vol. 21, pp. 291–393

CONTENTS

APRIL 1987

292 Christos Kassapoglou and Paul A. Lagace

Closed Form Solutions for the Interlaminar Stress Field in Angle-Ply and Cross-Ply Laminates

309 George J. Dvorak and Norman Laws

Analysis of Progressive Matrix Cracking in Composite Laminates II. First Ply Failure

330 J. G. Williams

Large Displacement and End Block Effects in the 'DCB' Interlaminar Test in Modes I and II

348 N. Alam and N. T. Asnani

Vibration and Damping Analysis of Fibre Reinforced Composite Material Cylindrical Shell

362 H. A. Whitworth

Modeling Stiffness Reduction of Graphite/Epoxy Composite Laminates

373 J. B. Henderson and T. E. Wiecek

A Mathematical Model to Predict the Thermal Response of Decomposing, Expanding Polymer Composites

Vol. 21, pp. 395–492

CONTENTS

MAY 1987

396 Kiyohisa Takahashi and Tsu-Wei Chou

Non-Linear Deformation and Failure Behavior of Carbon/Glass Hybrid Laminates

421 Jian-Mao Tang, Woo I. Lee and George S. Springer

Effects of Cure Pressure on Resin Flow, Voids, and Mechanical Properties

441 Alex T. Chen and T. Y. Yang

Static, Dynamic and Buckling Formulation of a Symmetrically Laminated Plate Finite Element for a Microcomputer

454 M. W. Hyer and Carl Q. Rousseau

Thermally Induced Stresses and Deformations in Angle-Ply Composite Tubes

481 Nikos Tsangarakis, B. O. Andrews and C. Cavallaro

Mechanical Properties of Some Silicon Carbide Reinforced Aluminum Composites

Vol. 21, pp. 493–592

CONTENTS

JUNE 1987

494 Donald F. Adams and David E. Walrath

Current Status of the Iosipescu Shear Test Method

508 D. P. H. Hasselman and Lloyd F. Johnson

Effective Thermal Conductivity of Composites with Interfacial Thermal Barrier Resistance

516 D. Kenaga, J. F. Doyle and C. T. Sun

The Characterization of Boron/Aluminum Composite in the Nonlinear Range as an Orthotropic Elastic-Plastic Material

532 Won J. Park

Symmetric Three-Directional Optimal Laminate Design

536 S. C. Tan

Characterization of Off-Axis Laminates Made by Folding

553 Edward F. Crawley and Marthinus C. van Schoor

Material Damping in Aluminum and Metal Matrix Composites

569 S. Mall, G. E. Law and M. Katouzian

Loading Rate Effect on Interlaminar Fracture Toughness of a Thermoplastic Composite

580 Donald A. Jaworske, Reza Zinolabedini and Raymond D. Vannucci

Mechanical and Electrical Properties of Graphite Fiber-Epoxy Composites Made from Pristine and Bromine Intercalated Fibers

Vol. 21, pp. 593–688

CONTENTS

JULY 1987

594 Dahsin Liu and Lawrence E. Malvern

Matrix Cracking in Impacted Glass/Epoxy Plates

610 C. R. Chiang

Inhomogeneity Effect on the Stress Intensity Factor

619 S. R. Swanson, M. J. Messick and Z. Tian

Failure of Carbon/Epoxy Lamina Under Combined Stress

631 S. M. Serabian and D. W. Oplinger

An Experimental and Finite Element Investigation Into the Mechanical Response of 0/90 Pin-Loaded Laminates

650 T. G. Gutowski, Z. Cai, S. Bauer, D. Boucher, J. Kingery and S. Wineman

Consolidation Experiments for Laminate Composites

670 A. J. Smiley and R. B. Pipes

Rate Effects on Mode I Interlaminar Fracture Toughness in Composite Materials

Vol. 21, pp. 689–780

CONTENTS

AUGUST 1987

690 **E. Montoneri, E. Ranzi, G. Modica and H. Hofmann**

Polyphenylene Sulfide-Asbestos-Brucite Composites. Part II: Properties and Performance in Advanced Water Electrolysis

708 **Fu-Kuo Chang and Ming-Huei Chen**

The In Situ Ply Shear Strength Distributions in Graphite/Epoxy Laminated Composites

734 **S. A. Rizzi, A. R. Leewood, J. F. Doyle and C. T. Sun**

Elastic-Plastic Analysis of Boron/Aluminum Composite Under Constrained Plasticity Conditions

750 **S. C. Tan**

Notched Strength Prediction and Design of Laminated Composites Under In-Plane Loadings

Vol. 21, pp. 781–875

CONTENTS

SEPTEMBER 1987

782 **D. R. Saini, V. M. Nadkarni, K. D. P. Nigam and P. D. Grover**

Tensile Properties of Highly Filled Magnetic Polymeric Composites

798 **John A. Nairn**

Transverse Fracture in Unidirectional Graphite/Polysulfone Composites

809 **Fu-Kuo Chang and Kuo-Yen Chang**

Post-Failure Analysis of Bolted Composite Joints in Tension or Shear-Out Mode Failure

834 **Fu-Kuo Chang and Kuo-Yen Chang**

A Progressive Damage Model for Laminated Composites Containing Stress Concentrations

856 **S. J. Fariborz and D. G. Harlow**

The Tensile Behavior of Intraply Hybrid Composites II: Micromechanical Model

Vol. 21, pp. 877–985

CONTENTS

OCTOBER 1987

878 **P. A. Smith, M. F. Ashby and K. J. Pascoe**

Modelling Clamp-Up Effects in Composite Bolted Joints

898 **Y. C. Wu, T. Y. Yang and Sunil Saigal**

Free and Forced Nonlinear Dynamics of Composite Shell Structures

910 **A. Y. Lou and T. P. Murtha**

Environmental Effects on Glass Fiber Reinforced PPS Stampable Composites

925 **S. C. Tan**

Laminated Composites Containing an Elliptical Opening. I. Approximate Stress Analyses and Fracture Models

949 **S. C. Tan**

Laminated Composites Containing an Elliptical Opening. II. Experiment and Model Modification

969 **C. T. Sun and J. K. Chen**

Effect of Plasticity on Free Edge Stresses in Boron-Aluminum Composite Laminates

Vol. 21, pp. 987–1081

CONTENTS

NOVEMBER 1987

988 Izhak Sheinman and Shmuel Weissman

Coupling Between Symmetric and Antisymmetric Modes in Shells of Revolution

1008 Nikos Tsangarakis

The Notch-Fatigue Behavior of an Aluminum Composite Reinforced Unidirectionally with Silicon Carbide Fiber

1017 Woo Il Lee and George S. Springer

A Model of the Manufacturing Process of Thermoplastic Matrix Composites

1056 Margaret F. Talbott, George S. Springer and Lars A. Berglund

The Effects of Crystallinity on the Mechanical Properties of PEEK Polymer and Graphite Fiber Reinforced PEEK

Vol. 21, pp. 1083–1188

CONTENTS

DECEMBER 1987

1084 **S. S. Wang, H. Suemasu and E. S. M. Chim**

Analysis of Fatigue Damage Evolution and Associated Anisotropic Elastic Property Degradation in Random Short-Fiber Composite

1106 **A. J. Vizzini and P. A. Lagace**

The Buckling of a Delaminated Sublaminate on an Elastic Foundation

1118 **P. T. Curtis**

An Investigation of the Mechanical Properties of Improved Carbon Fibre Composite Materials

1145 **Hamid G. Kia**

The Effect of Resin Formulation on the Surface Appearance of Glass Fiber Reinforced Polymers

1164 **Marek-Jerzy Pindera, Gaurang Choksi, Jeffrey S. Hidde and Carl T. Herakovich**

A Methodology for Accurate Shear Characterization of Unidirectional Composites

1185 **Subject Index**
Author Index